



SAFETY DATA SHEET

Swarfega Jizer Bio

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Swarfega Jizer Bio
Product number JIB608RS, JIB60K, JIB76R, 692609

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent. . For full details regarding recommended uses please refer to the product label.

1.3. Details of the supplier of the safety data sheet

Supplier Deb Ltd
 Denby Hall Way
 Denby
 Derbyshire
 DE5 8JZ
 Main Tel. 01773 855100
 Technical Tel 01773 855105
 reach@deb.co.uk

1.4. Emergency telephone number

Emergency telephone National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified
Health hazards Skin Corr. 1C - H314 Eye Dam. 1 - H318
Environmental hazards Not Classified

Classification (67/548/EEC or 1999/45/EC) Xi; R38, R41.

Environmental The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

Swarfega Jizer Bio

Precautionary statements	<p>P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P501 Dispose of contents/container in accordance with national regulations.</p>
Contains	C9-C11 ALCOHOL ETHOXYLATE (6MEO), SODIUM METASILICATE, REACTION PRODUCTS OF C12-18-(EVEN NUMBERED)-ALKYLAMINES & ACRYLIC ACID & SODIUM HYDROXIDE, DIETHANOLAMINE
Detergent labelling	5 - < 15% non-ionic surfactants,< 5% amphoteric surfactants,< 5% EDTA and salts thereof
Supplementary precautionary statements	P405 Store locked up.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C9-C11 ALCOHOL ETHOXYLATE (6MEO) 5-10%		
CAS number: 68439-46-3		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Eye Dam. 1 - H318 Acute Tox. 4 - H302	Xn;R22. Xi;R41.	
SODIUM METASILICATE 1-5%		
CAS number: 6834-92-0	EC number: 229-912-9	REACH registration number: 01-2119449811-37-XXXX
Classification	Classification (67/548/EEC or 1999/45/EC)	
Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335	C;R34. Xi;R37.	
REACTION PRODUCTS OF C12-18-(EVEN NUMBERED)-ALKYLAMINES & ACRYLIC ACID & SODIUM HYDROXIDE 1-5%		
CAS number: —	EC number: 939-647-7	REACH registration number: 01-2119980672-29-0000
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315 Eye Dam. 1 - H318	Xi;R41,R38.	

Swarfega Jizer Bio

DIETHANOLAMINE	1-5%
CAS number: 111-42-2	EC number: 203-868-0
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 2 - H373 Aquatic Chronic 3 - H412	Classification (67/548/EEC or 1999/45/EC) Xn;R22,R48/22 Xi;R38,R41
DIHYDROXYETHYL COCAMINE OXIDE	<1%
CAS number: 61791-47-7	EC number: 263-180-1
M factor (Acute) = 1	
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	Classification (67/548/EEC or 1999/45/EC) Xi;R38,R41. N;R50.
SODIUM HYDROXIDE	<1%
CAS number: 1310-73-2	EC number: 215-185-5
	REACH registration number: 01-2119457892-27-XXXX
Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) C;R35

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Irritation of nose, throat and airway.
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting.
Skin contact	This product is corrosive.
Eye contact	Corrosive to skin and eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Swarfega Jizer Bio

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Does not decompose when used and stored as recommended.

5.3. Advice for firefighters

Protective actions during firefighting No specific firefighting precautions known.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid contamination of ponds or watercourses with washing down water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in closed original container at temperatures between 0°C and 30°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

Ingredient comments EU = Indicative Values according to Commission Directive 91/322/EEC.

SODIUM METASILICATE (CAS: 6834-92-0)

Swarfega Jizer Bio

DNEL	Workers - Inhalation; Long term systemic effects: 6.22 mg/m ³ Workers - Dermal; Long term systemic effects: 1.49 mg/kg/day General population - Inhalation; Long term systemic effects: 1.55 mg/m ³ General population - Dermal; Long term systemic effects: 0.74 mg/kg/day General population - Oral; Long term systemic effects: 0.74 mg/kg/day
PNEC	- Fresh water; 7.5 mg/l - Marine water; 1 mg/l - STP; 1000 mg/l

REACTION PRODUCTS OF C12-18-(EVEN NUMBERED)-ALKYLAMINES & ACRYLIC ACID & SODIUM HYDROXIDE

DNEL	Professional - Dermal; Long term systemic effects: 5.3 mg/kg/day Professional - Inhalation; Long term systemic effects: 3.8 mg/m ³ Consumer - Dermal; Long term systemic effects: 2.7 mg/kg/day Consumer - Inhalation; Long term systemic effects: 0.9 mg/m ³ Consumer - Oral; Long term systemic effects: 0.3 mg/kg/day
PNEC	- Marine water; 0.0003 mg/l - Soil; 0.0041 mg/kg - Fresh water; 0.03 mg/l - Sediment (Freshwater); 0.108 mg/kg - Intermittent release; 0.042 mg/l - STP; 9.9 mg/l - Sediment (Marinewater); 0.0108 mg/kg

DIETHANOLAMINE (CAS: 111-42-2)

DNEL	Workers - Inhalation; Long term local effects: 1 mg/m ³ Workers - Dermal; Long term systemic effects: 0.13 mg/kg/day General population - Inhalation; Long term local effects: 0.25 mg/m ³ General population - Dermal; Long term systemic effects: 0.07 mg/kg/day General population - Oral; Long term systemic effects: 0.06 mg/kg/day
PNEC	- Fresh water; 0.0022 mg/l - Marine water; 0.00022 mg/l - Intermittent release; 0.022 mg/l - Sediment (Freshwater); 0.012 mg/kg - Sediment (Marinewater); 0.0012 mg/kg - Soil; 0.0011 mg/kg - ;

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)

DNEL	Consumer - Oral; Long term systemic effects: 28 mg/kg/day Professional - Inhalation; Short term systemic effects: 2.8 mg/m ³ Professional - Inhalation; Long term local effects: 2.5 mg/m ³ Consumer - Inhalation; Short term systemic effects: 1.5 mg/m ³ Professional - Inhalation; Long term systemic effects: 2.5 mg/m ³ Consumer - Inhalation; Long term local effects: 1.5 mg/m ³ Professional - Inhalation; Short term systemic effects: 2.5 mg/m ³ Professional - Inhalation; Short term local effects: 2.5 mg/m ³
-------------	--

Swarfega Jizer Bio

PNEC	<ul style="list-style-type: none"> - Fresh water; 2.2 mg/l - Soil; 0.72 mg/kg - STP; 43 mg/l - Marine water; 0.22 mg/l - ; Intermittent release 1.2 mg/l
-------------	---

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL	Industry - Inhalation; Long term local effects: 1 mg/m ³ Consumer - Inhalation; Long term local effects: 1 mg/m ³
-------------	--

8.2. Exposure controls

Protective equipment



Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Wear protective gloves made of the following material: Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC).

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Green.
Odour	Characteristic.
Odour threshold	Not determined. Not determined.
pH	Not determined.
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	Not determined.
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Scientifically unjustified. : : Scientifically unjustified.
Vapour pressure	Not determined.
Vapour density	Not determined.

Swarfega Jizer Bio

Relative density	1.045-1.060 @ at 25 deg C°C
Solubility(ies)	Soluble in water.
Auto-ignition temperature	Scientifically unjustified.
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Scientifically unjustified.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information	Not relevant.
--------------------------	---------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	The following materials may react with the product: Acids.
-------------------	--

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
------------------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not applicable.
---	-----------------

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid freezing.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	Strong acids.
---------------------------	---------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended.
---	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg)	7,142.85714286
-------------------------	----------------

Skin corrosion/irritation

Skin corrosion/irritation	Corrosive to skin.
----------------------------------	--------------------

Serious eye damage/irritation

Serious eye damage/irritation	Based on available data the classification criteria are not met.
--------------------------------------	--

Skin sensitisation

Skin sensitisation	Based on available data the classification criteria are not met.
---------------------------	--

Germ cell mutagenicity

Genotoxicity - in vivo	Based on available data the classification criteria are not met.
-------------------------------	--

Carcinogenicity

Carcinogenicity	Does not contain any substances known to be carcinogenic.
------------------------	---

Swarfega Jizer Bio

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard based on chemical structure.

Inhalation May cause respiratory system irritation.

Ingestion May cause discomfort if swallowed.

Skin contact Irritating to skin.

Eye contact Irritating to eyes.

Toxicological information on ingredients.

C9-C11 ALCOHOL ETHOXYLATE (6MEO)

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.0

Species Rat

SODIUM METASILICATE

Acute toxicity - oral

Notes (oral LD₅₀) LD50 1152 1349 mg/kg bw Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD50 > 5000 mg/kg bw Rat

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 > 2.06 mg/L air Rat

Skin corrosion/irritation

Animal data Primary dermal irritation index: 8

REACTION PRODUCTS OF C12-18-(EVEN NUMBERED)-ALKYLAMINES & ACRYLIC ACID & SODIUM HYDROXIDE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 31,300.0

Species Rat Rat

ATE oral (mg/kg) 31,300.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 5,000.0

Swarfega Jizer Bio

Species	Rat Rat
ATE dermal (mg/kg)	5,000.0

DIETHANOLAMINE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg)	1,100.0
--	---------

Species	Rat
----------------	-----

ATE oral (mg/kg)	500.0
-------------------------	-------

Skin corrosion/irritation

Animal data	Erythema/eschar score: Very slight erythema - barely perceptible (1).
--------------------	---

Skin sensitisation

Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.
---------------------------	--

SECTION 12: Ecological Information

Ecotoxicity	The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment. The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC
--------------------	---

12.1. Toxicity

Toxicity	The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC
-----------------	--

12.2. Persistence and degradability

Persistence and degradability	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.
--------------------------------------	--

12.3. Bioaccumulative potential

Bioaccumulative potential	No data available on bioaccumulation.
----------------------------------	---------------------------------------

12.4. Mobility in soil

Mobility	The product is soluble in water. The product is non-volatile.
-----------------	---

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	None known.
---	-------------

12.6. Other adverse effects

Other adverse effects	None known.
------------------------------	-------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
----------------------------	--

Swarfega Jizer Bio

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. No specific disposal method required. Reuse or recycle products wherever possible.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	1719
UN No. (IMDG)	1719
UN No. (ICAO)	1719
UN No. (ADN)	1719

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS DIHYDROXYETHYL COCAMINE OXIDE, SODIUM METASILICATE)
Proper shipping name (IMDG)	CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS DIHYDROXYETHYL COCAMINE OXIDE, SODIUM METASILICATE)
Proper shipping name (ICAO)	CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS DIHYDROXYETHYL COCAMINE OXIDE, SODIUM METASILICATE)
Proper shipping name (ADN)	CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS DIHYDROXYETHYL COCAMINE OXIDE, SODIUM METASILICATE)

14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID classification code	C5
ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ADN packing group	III
ICAO packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

EmS	F-A, S-B
-----	----------

Swarfega Jizer Bio

ADR transport category	3
Emergency Action Code	2R
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Dangerous Substances Directive 67/548/EEC.
 Dangerous Preparations Directive 1999/45/EC.
 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
 Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information	Only trained personnel should use this material.
Key literature references and sources for data	Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet.
Revision comments	Revision of information NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	27/01/2016
Revision	3
Supersedes date	21/10/2015
Risk phrases in full	R22 Harmful if swallowed. R34 Causes burns. R37 Irritating to respiratory system. R38 Irritating to skin. R41 Risk of serious damage to eyes. R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed. R50 Very toxic to aquatic organisms.

Swarfega Jizer Bio

Hazard statements in full

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Notes for Risk Phrases and Hazard Statements in Full

The full text for Risk Phrases and Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.